



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/071,348

02/08/2002

Daniel R. Meacham

P04986

2784

7590

09/22/2004

Docket Clerk  
P.O. Drawer 800889  
Dallas, TX 75380

EXAMINER

COX, CASSANDRA F

ART UNIT

PAPER NUMBER

2816

DATE MAILED: 09/22/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

10/071,348

Applicant(s)

MEACHAM ET AL.

Examiner

Cassandra Cox

Art Unit

2816

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 07/30/04.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-21 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 08 February 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

### Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

### Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

### **DETAILED ACTION**

Applicant's arguments filed 07/30/04 have been fully considered but they are not persuasive. Therefore, the rejection is restated below.

#### ***Claim Rejections - 35 USC § 112***

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 1-21 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 1, 8, and 15 are indefinite because the claims are misdescriptive. The claims recite "a first multiplier capable of receiving and multiplying said FSK signal and said time-delayed FSK signal to thereby produce an output product signal proportional to a phase shift between said FSK signal and said time-delayed FSK signal". This limitation is seen to be misdescriptive because from the examiner's review of the specification and the drawings, in order for the multiplier to "produce an output product signal proportional to a phase shift between said FSK signal and said time-delayed FSK signal" the multiplier has to receive the output of peak-to-peak limiter (405), which outputs a series of pulses where the pulse width varies according to the amount of phase shift between pulses (see specification page 13, lines 11-21). It is that signal (the output of the peak-to-peak limiter which is then multiplied by a delayed version of itself to "produce an output product signal proportional to a phase shift between said FSK signal and said time-delayed FSK signal". Therefore, it is the examiner's belief that the

peak-to-peak limiter is an essential part of the applicant's invention and should be included in the claim to support the statement that the multiplier is capable of producing a "signal proportional to a phase shift". Correction or clarification is required.

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-7 and 15-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Notani et al. (U.S. Patent No. 6,396,888).

In reference to claim 1, Notani discloses in Figure 18 a circuit having a first current controlled delay line (7N; see column 20, lines 44-48 where Notani discloses that the delay lines may also be current controlled as called for in the claims) capable of receiving an FSK signal (CKFPN) and delaying the FSK signal (CKFPN) by a desired time delay to thereby produce a time-delayed FSK signal (RCKN); a first multiplier (OGN) capable of receiving and multiplying the FSK signal (CKFPN) and the time-delayed FSK (DCKFPN) signal to thereby produce an output product signal (RCKN) proportional to a phase shift between the FSK signal and the time-delayed FSK signal and a delay locked loop comprising a second current controlled delay line (71) substantially similar to the first current controlled delay line (7N), wherein the delay locked loop receives a reference clock signal (CKFP1) having a time period equal to the desired time delay and adjusts a control current level in the second current controlled

delay line (71) until a delay of the second current controlled delay line (71) matches the time period of the reference clock signal, wherein the control current level is then used to adjust a delay of the first current controlled delay line (7N). Notani does not disclose that the signal (CKFPN) is an FSK signal, however it is well known in the art the delay lines can be used to delay a number of different types of signals including FSK signals, of which fact official notice is taken. It would have been obvious to one skilled in the art at the time of the invention that the delay line (7N) of Notani could be used to delay an FSK signal as well as any other type of signal. This requirement is seen to be a design expedient dependent on the particular environment and the desired outcome. The same applies to claim 15.

In reference to claim 2, Notani discloses in column 20, lines 44-48 that the second controlled delay line can be controlled by adjusting its bias current. The same applies to claims 3, 16, and 17.

In reference to claim 4, Notani discloses in Figure 18 that the delay locked loop comprises a phase detector (4) having a first input for receiving the reference clock signal (CKFP1) and a second input for receiving an output signal (DCKFP1) of the second current controlled delay line (71) and generating a correction control signal (Vb) determined by a phase difference between the reference clock signal (CKFP1) and the output signal (DCKFP1) of the second current controlled delay line (71). The same applies to claim 18.

In reference to claim 5, Notani discloses in Figure 20 that the second current controlled delay line may also be configured as an oscillator (8). The same applies to claim 19.

In reference to claim 6, Notani discloses in Figure 18 a circuit further comprising: a third current controlled delay line (7(N-1)) capable of receiving an FSK signal (CKFP(N-1)) and delaying the FSK signal (CKFP(N-1)) by a desired time delay to thereby produce a time-delayed FSK signal (RCK(N-1)); and a second multiplier (OG(N-1)) capable of receiving and multiplying the FSK signal (CKFP(N-1)) and the time-delayed FSK (DCKFP(N-1)) signal to thereby produce an output product signal (RCK(N-1)) proportional to a phase shift between the FSK signal and the time-delayed FSK signal; wherein the delay locked loop uses the control current level to adjust a delay of the third current controlled delay line (7(N-1)), see column 18, lines 25-30. The same applies to claims 7, 20, and 21.

5. Claims 8-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Notani et al. (U.S. Patent No. 6,396,888) in view of Bagby (U.S. Patent No. 5,319,679).

In reference to claim 8, Notani discloses all the limitations of the claim as mentioned above with respect to claims 1 and 15, except Notani does not disclose demodulation circuitry capable of receiving an incoming radio frequency (RF) signal and generating therefrom a frequency-shift keyed (FSK) signal having a nominal frequency, f. Bagby discloses in Figure 1, demodulation circuitry (20, 21) capable of receiving an incoming radio frequency (RF) signal (14) and generating therefrom a frequency-shift keyed (FSK) signal (which is seen to be the output of block 21) having a nominal

frequency,  $f$  (see column 3, lines 20-26 and 49-59). Since it is obvious that the signal being delayed in the Notani circuit would have to be generated in some method, any circuit capable of generating a signal capable of being delayed would be suitable to provide the signal input to the delay line (7N) of Notani. Therefore, it would have been obvious to one skilled in the art at the time of the invention that the frequency shift keyed signal produced by Bagby could be provided as the signal to be delayed by the circuit of Notani.

In reference to claim 9, Notani discloses in column 20, lines 44-48 that the second controlled delay line can be controlled by adjusting its bias current. The same applies to claim 10.

In reference to claim 11, Notani discloses in Figure 18 that the delay locked loop comprises a phase detector (4) having a first input for receiving the reference clock signal (CKFP1) and a second input for receiving an output signal (DCKFP1) of the second current controlled delay line (71) and generating a correction control signal ( $V_b$ ) determined by a phase difference between the reference clock signal (CKFP1) and the output signal (DCKFP1) of the second current controlled delay line (71).

In reference to claim 12, Notani discloses in Figure 20 that the second current controlled delay line may also be configured as an oscillator (8).

In reference to claim 13, Notani discloses in Figure 18 a circuit further comprising: a third current controlled delay line (7(N-1)) capable of receiving an FSK signal (CKFP(N-1)) and delaying the FSK signal (CKFP(N-1)) by a desired time delay to thereby produce a time-delayed FSK signal (RCK(N-1)); and a second multiplier (OG(N-

1)) capable of receiving and multiplying the FSK signal (CKFP(N-1)) and the time-delayed FSK (DCKFP(N-1)) signal to thereby produce an output product signal (RCK(N-1)) proportional to a phase shift between the FSK signal and the time-delayed FSK signal; wherein the delay locked loop uses the control current level to adjust a delay of the third current controlled delay line (7(N-1)), see column 18, lines 25-30. The same applies to claim 14.

### ***Response to Arguments***

In response to the applicant's arguments filed on 07/30/04, the examiner has restated the rejection. Applicant's argument's that OR gate of Notani does not produce a "signal proportional to a phase shift" is not persuasive in light of the newly stated 112 rejection. The multiplier (OR gate) of Notani functions the same as the multiplier of applicant's claim. Since applicant has cited no structure or given sufficient reason as to why the claimed multiplier would operate differently than any other multiplier it is the examiner's belief that unless applicant's multiplier receives the output of the peak-to-peak limiter (which has not been claimed), then the output produced from that multiplier would be equivalent to the output produced by the multiplier of Notani.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cassandra Cox whose telephone number is 571-272-1741. The examiner can normally be reached on Monday-Thursday from 8:00 AM to 5:30 PM and on alternate Fridays from 8:00 AM to 4:30 PM.




If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Callahan can be reached on 571-272-1740. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communications and (703) 872-9306 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

CC

*CC*

September 19, 2004



TIMOTHY P. CALLAHAN  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2800